

5) REACTIVITY DATA

STABILITY – Stable

CONDITIONS TO AVOID – None known

INCOMPATIBILITY – None known

HAZARDOUS DECOMPOSITION PRODUCTS – By fire: Carbon Dioxide, Carbon Monoxide

HAZARDOUS POLYMERIZATION – Will not occur

6) HEALTH HAZARD DATA

ROUTES OF EXPOSURE – Exposure may be by INHALATION and/or SKIN or EYE contact, depending on conditions of use.

ACUTE HEALTH HAZARDS

EFFECTS OF OVEREXPOSURE – Irritation of eyes, skin and upper respiratory system.

In a confined area vapors in high concentration may cause headache, nausea or dizziness.

SIGNS AND SYMPTOMS OF OVEREXPOSURE – Redness and itching or burning sensation may indicate eye or excessive skin exposure.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE – None generally recognized.

EMERGENCY AND FIRST AID PROCEDURES-

- | | |
|---------------|--|
| If INHALED: | If affected, remove from exposure. Restore breathing. Keep warm and quiet. |
| If on SKIN: | Wash affected area thoroughly with soap and water. Remove contaminated clothing and launder before re-use. |
| If in EYES: | Flush eyes with large amounts of water for 15 minutes. Get medical attention. |
| If SWALLOWED: | Get medical attention. |

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

Ethylene Glycol is considered an animal teratogen. It has been shown to cause birth defects in rats and mice at high doses when given in drinking water or by gavage. There is no evidence to indicate it causes birth defects in humans.

Prolonged overexposure to solvent ingredients in Section II may cause adverse effects to the liver and urinary systems.

Rats exposed to titanium dioxide dust at 250 mg./m³ developed lung cancer; however, such exposure levels are not attainable in the workplace.

7) PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case of spills or leakage – Remove all sources of ignition. Ventilate and remove with inert absorbent.

Waste disposal method – Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Incinerate in

approved facility. Do not incinerate closed container. Dispose of in accordance with Federal, State and Local regulations regarding pollution.

Keep container closed when not in use. Transfer only to approved containers with complete and appropriate labeling. Do not take internally. Keep out of reach of children.

8) SPECIAL PROTECTION INFORMATION

Use appropriate NIOSH approved respirator to avoid exposure above the recommended limits. Minimize dust generation at all times.

9) SUPPLIER NOTIFICATION

SARA 313 (40 CFR 372.65C)

CAS NO. 107-21-1 ETHYLENE GLYCOL 3 % BY WT.

GLYCOL ETHERS 2 % BY WT.

CALIFORNIA PROPOSITION 65

WARNING: This product contains chemicals known to the State of California to cause cancer.

TSCA CERTIFICATION

All chemicals in this product are listed, or are exempt from listing, on the TSCA Inventory.

The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazard of this product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.